L	Hits	Search Text	DB	Time stamp
4	1		USPAT	2003/10/03 08:57
5	1		USPAT	2003/10/03
6	1		USPAT	08:57 2003/10/03
7	1		USPAT	08:58 2003/10/03
8	1		USPAT	08:59 2003/10/03
9	1		USPAT	08:59 2003/10/03
10	1		USPAT	08:59 2003/10/03
11	1		USPAT	09:00 2003/10/03
12	1		USPAT	09:00 2003/10/03
13	1		USPAT	09:00 2003/10/03
14	1		USPAT	09:00 2003/10/03
15	1		USPAT	09:00 2003/10/03
_	1	709/227,228,229,203.ccls. and application	USPAT	09:01 2003/10/02
_	0	adj descriptor	USPAT	09:39 2003/10/02
_	0	(application adj descriptor).ab. (application adj descriptor) same helper	USPAT	09:39 2003/10/02
_	224	adj application helper adj application	USPAT	09:39 2003/10/02
_	0	(application adj descriptor) and (helper	USPAT	09:49 2003/10/02
_	3	adj application) (helper adj application).ab.	USPAT	09:40 2003/10/02
_	1	"5923885".PN.	USPAT	09:57 2003/10/02
_	171	(helper adj application) same (client or	USPAT	09:44 2003/10/02
_	72	user) ((helper adj application) same (client or	USPAT	09:45
_	0	user)) same (server) (((helper adj application) same (client	USPAT	09:45 2003/10/02
		or user)) same (server)) same application adj descriptor	051112	09:46
-	0	(((helper adj application) same (client or user)) same (server)) and application	USPAT	2003/10/02 09:46
-	21	adj descriptor (application adj descriptor).	USPAT	2003/10/02
-	1	(application adj descriptor).ab.	USPAT	09:56 2003/10/02
_	21	application adj descriptor	USPAT	09:46 2003/10/02
-	300	(helper adj application) or (software adj	USPAT	09:48 2003/10/02
_	224	player) ((helper adj application) or (software	USPAT	09:50 2003/10/02
-	224	<pre>adj player)) and (helper adj application) ((helper adj application) or (software adj player)) same (helper adj</pre>	USPAT	09:50 2003/10/02 09:50 {
_	171	application) (((helper adj application) or (software	USPAT	2003/10/02
		adj player)) same (helper adj application)) same (client or user)		09:51
-	72	((((helper adj application) or (software adj player)) same (helper adj application)) same (client or user)) same	USPAT	2003/10/02 09:56
		server		

Search History 10/3/03 9:01:52 AM Page 1

-	0	((application adj descriptor).ab.) and	USPAT	2003/10/02
		((helper adj application) or (software adj player))		09:56
-	0	(application adj descriptor).ti.	USPAT	2003/10/02 09:56
-	12293	(client or user) near request	USPAT	2003/10/02
-	1921	((client or user) near request) same application	USPAT	2003/10/02
-	882	(((client or user) near request) same application) same server	USPAT	2003/10/02
-	13	<pre>((((client or user) near request) same application) same server) same helper adj application</pre>	USPAT	2003/10/02 10:06
-	306	helper adj application\$1	USPAT	2003/10/02
-	384	(helper adj application\$1) same browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/02 10:07
-	332	((helper adj application\$1) same browser) same application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/02 10:07
-	1066979	(((helper adj application\$1) same browser) same application) same client or user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/02 10:08
-	263	<pre>(((helper adj application\$1) same browser) same application) same (client or user)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/02 10:08
-	1	<pre>(((((helper adj application\$1) same browser) same application) same (client or user)) same server) same descriptor</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/02 10:08
_	116	<pre>((((helper adj application\$1) same browser) same application) same (client or user)) same server</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/02 11:29
-	1	"5855015".PN.	USPAT	2003/10/02 10:12
_	26918	(user or client) same browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/02 11:34
-	214	((user or client) same browser) same helper adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/02 11:34
-	99	(((user or client) same browser) same helper adj application) same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/02 11:40
_	2560153	(user or client) near request (application or web adj page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/02 12:21

231					
-	i -	231			
-	1		(application or web adj page))		12:36
IMM TOB					
Section Sect					
Capplication or web adj page) same US-PCPUB; EPO; JPO; DERWENT; IBM TDB USPAT;			//		
	-	34			, ,
-					12:03
1		1	prowser		
0				· · · · · · · · · · · · · · · · · · ·	
(application or web adj page)) same US-PGPUB; 12:09 100		ا م	///waar ar aliant\ maar /ramwat adi		2003/10/03
Drowser) same (helper adj application) EPO; JPO; DERMENT; IRM TDB Continue to the part of the	_	١		•	
- 0 ((user or client) near (request adj DERWENT; IBM TDB USPAT; 12:09					12.09
Comparison of the part of the page) Same (helper adj application) Same (page) Same			blowself same (helper adj application)		
Complete the com				-	
(application or web adj page)) same (helper adj application)	_	ا م	((user or client) near (request adi		2003/10/02
Chelper adj application SEPO; JPO; DERWENT; IBM TDB SEPO; JP				•	
- 107 ((user or client) near request (web adj page) 107 ((user or client) near request (web adj page) 108 10			(helper adj application)		
Sison	1		(p,		
Si520 (user or client) near request (web adj page) USPĀT; US-PGPUB; EPG; JPG; DERWENT; IBM TDB USPĀT; US-PGPUB; EPG; JPG; JPG; DERWENT; IBM TDB USPĀT; US-PGPUB; EPG; JPG	ļ			•	
Page	-	51520	(user or client) near request (web adi		2003/10/02
107 ((user or client) near request (web adj page)) same (helper adj application) USPAT; US-PGPUB; EPO; UPO; DERWENT; IBM TDB USPAT; USPAT; USPAT; US				•	
Company Comp					
107 (user or client) near request (web adj page) same (helper adj application) USPAT;					
page) same (helper adj application) US-PGPUB; 12:21					
Bepo	-	107	((user or client) near request (web adj	1	
Bernem: IBM TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; U	1		page)) same (helper adj application)		12:21
TBM TDB Compare Comp					
Second Company Compa					
Page) same (helper adj application) US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPA					
Same browser DEO; JPC; DERWENT; DEM_TDB DUSPAT; DEWENT; DEM_TDB DUSPAT; DEWENT; DEM_TDB DUSPAT; DEWENT; DEM_TDB DUSPAT; DERWENT; DEM_TDB DUSPAT; DERWENT; DEM_TDB DUSPAT; DERWENT; DEM_TDB DUSPAT; DERWENT; DERWEN	-	86			1
- 1 (helper adj application and browser and request).ab 11 (helper adj application and browser).ab 11 (helper adj application and browser).ab 11 (helper adj application and browser).ab 17153 ((user or client) near request (web adj page)) and browser - 18 (user or client) adj (request adj (web adj page)) same (helper adj application) - 0 ((user or client) adj (request adj (web adj page))) same (helper adj application) - 0 ((user or client) adj (request adj (web adj page))) and (helper adj application) - 0 ((user or client) adj (request adj (web adj page))) and (helper adj application) - 0 ((user or client) adj (request adj (web adj page))) and (helper adj application) - 0 ((user or client) adj (request adj (web adj page))) and (helper adj application) - 0 ((user or client) same (request adj (web adj page)) - 0 ((user or client) same (request adj (web adj page)) - 0 (user or client) same (request adj (web adj page)) - 0 (user or client) same (request adj (web adj page)) - 0 (user or client) same (request adj (web adj page)) - 0 (user or client) same (request adj (web adj page)) - 0 (user or client) same (request adj (web adj page)) - 0 (user or client) same (request adj (web adj page)) - 0 (user or client) same (request adj (web adj page)) - 0 (user or client) same (request adj (web adj page)) - 0 (user or client) same (request adj (web adj page)) - 0 (user or client) same (request adj (web adj page)) - 0 (user or client) same (request adj (web adj page))					12:30
1			same browser		1
Chelper adj application and browser and request).ab. USPAT; US-PGPUB; EPO; JPO; DERWENT; TBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; TBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	1				
request).ab.		,	(holmon add application and browser and		2003/10/02
EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;	-	1			
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT, IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT			request, ab.		12.31
TBM_TDB					
11					
17153 ((user or client) near request (web adj page)) and browser US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPO; JPO; DERWENT; IBM_TDB USPAT; USPERPOBENENT; IBM_TDB USPAT; USPERPOBENENT; IBM_TDB USPAT; USPO; JPO; DERWENT; IBM_TDB USPAT; USPO; JPO; DERWENT; IBM_TDB USPAT; USPO; JPO; DERWENT; IBM_TDB USPAT; USPO; JPO; DERWENT; IBM_TDB USPAT; USPO; JPO; DERWENT; USPAT; USPO; JPO; DERWENT; USPO; JPO; JPO; DERWENT; USPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	_	11	(helper adj application and browser).ab.		2003/10/02
Total			(, -pp		1 ' '
Total					
Total		1			
page)) and browser					
page)) and browser	-	17153	((user or client) near request (web adj	USPĀT;	
- 58 (user or client) adj (request adj (web adj page)) - 0 ((user or client) adj (request adj (web adj page))) same (helper adj application) - 0 ((user or client) adj (request adj (web adj page))) same (helper adj application) - 0 ((user or client) adj (request adj (web adj page))) and (helper adj application) - 0 ((user or client) adj (request adj (web adj page))) and (helper adj application) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page))			page)) and browser		12:36
- 58 (user or client) adj (request adj (web uspat; 2003/10/02 us-pgpuB; EPO; JPO; DERWENT; IBM_TDB uspat; 2003/10/02 uspat; Id:00 - 0 ((user or client) adj (request adj (web adj page))) same (helper adj application) uspat; IBM_TDB uspat; Id:00 - 0 ((user or client) adj (request adj (web adj page))) and (helper adj application) uspat; IBM_TDB uspat	-				
- (user or client) adj (request adj (web adj page)) - ((user or client) adj (request adj (web adj page))) same (helper adj application) - ((user or client) adj (request adj (web adj page))) same (helper adj application) - ((user or client) adj (request adj (web adj page))) and (helper adj application) - ((user or client) adj (request adj (web adj page))) and (helper adj application) - (user or client) same (request adj (web adj page)) - (user or client) same (request adj (web adj page)) - (user or client) same (request adj (web adj page)) - (user or client) same (request adj (web adj page)) - (user or client) same (request adj (web adj page))					
adj page)) - 0 ((user or client) adj (request adj (web adj page))) same (helper adj application) - 0 ((user or client) adj (request adj (web adj page))) and (helper adj application) - 0 ((user or client) adj (request adj (web adj page))) and (helper adj application) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page))					
- 0 ((user or client) adj (request adj (web adj page))) same (helper adj application) - 0 ((user or client) adj (request adj (web EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; adj page))) and (helper adj application) - 0 ((user or client) adj (request adj (web adj page))) and (helper adj application) - 609 (user or client) same (request adj (web adj page)) - 1 609 (user or client) same (request adj (web adj page)) - 1 609 (user or client) same (request adj (web adj page)) - 1 609 (user or client) same (request adj (web adj page)) - 1 609 (user or client) same (request adj (web adj page))	-	58		1	
O ((user or client) adj (request adj (web adj page))) same (helper adj application) O ((user or client) adj (request adj (web EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	1		adj page))		14:00
- 0 ((user or client) adj (request adj (web adj page))) same (helper adj application) - 0 ((user or client) adj (request adj (web EPO; JPO; DERWENT; IBM_TDB - 0 ((user or client) adj (request adj (web adj page))) and (helper adj application) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page))	1	1			
- 0 ((user or client) adj (request adj (web adj page))) same (helper adj application) - 0 ((user or client) adj (request adj (web adj page))) and (helper adj application) - 0 ((user or client) adj (request adj (web adj page))) and (helper adj application) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page)) - 609 (user or client) same (request adj (web adj page))					
adj page))) same (helper adj application) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;		_	//waan an aliant) and /warrant and /war		2002/10/02
EPO; JPO; DERWENT; IBM_TDB ((user or client) adj (request adj (web adj page))) and (helper adj application) (user or client) same (request adj (web adj page)) (user or client) same (request adj (web adj page)) (user or client) same (request adj (web adj page)) EPO; JPO; DERWENT; 1BM_TDB USPĀT; 2003/10/02 US-PGPUB; EPO; JPO; DERWENT;	-				
O ((user or client) adj (request adj (web adj page))) and (helper adj application) O ((user or client) adj (request adj (web adj page))) and (helper adj application) DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EO; JPO; DERWENT; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;			ad page () same (neither ad abbindarion)		17.00
- ((user or client) adj (request adj (web adj page))) and (helper adj application) - (user or client) same (request adj (web adj page)) - (user or client) same (request adj (web adj page)) - (user or client) same (request adj (web adj page)) - (user or client) same (request adj (web adj page)) - (user or client) same (request adj (web adj page)) - (user or client) same (request adj (web adj page))					
- 0 ((user or client) adj (request adj (web adj page))) and (helper adj application) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; adj page)) 2003/10/02 14:00 2003/10/02 14:00					
adj page))) and (helper adj application) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; 2003/10/02 US-PGPUB; EPO; JPO; DERWENT; DERWENT;	_	_ n	((user or client) adi (request adi (web		2003/10/02
EPO; JPO; DERWENT; IBM_TDB (user or client) same (request adj (web USPAT; 2003/10/02 us-pgpuB; 14:00 EPO; JPO; DERWENT;		I			
DERWENT; IBM_TDB USPAT; 2003/10/02 user or client) same (request adj (web uspat; US-PGPUB; EPO; JPO; DERWENT;					
- 609 (user or client) same (request adj (web USPAT; 2003/10/02 us-pgpuB; 14:00 EPO; JPO; DERWENT;					
- 609 (user or client) same (request adj (web USPĀT; 2003/10/02 us-pgpuB; 14:00 EPO; JPO; DERWENT;		1		1	
adj page)) US-PGPUB; 14:00 EPO; JPO; DERWENT;	-	609	(user or client) same (request adj (web		2003/10/02
DERWENT;			adj page))		14:00
		1			
· · · · · · · · · · · · · · · · · · ·		L		IBM_TDB	

-	0	((user or client) same (request adj (web	USPAT;	2003/10/02
		adj page))) same (helper adj application)	US-PGPUB;	14:01
			EPO; JPO;	ļ .
			DERWENT;	
			IBM TDB	
-	10	((user or client) same (request adj (web	USPĀT;	2003/10/02
		adj page))) and (helper adj application)	US-PGPUB;	14:01
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	588	helper adj application\$1	USPAT;	2003/10/02
			US-PGPUB;	14:06
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	/
-	306	helper adj application\$1	USPAT	2003/10/02
		, , , , , , , , , , , , , , , , , , , ,		14:06
-	230	(helper adj application\$1) same browser	USPAT	2003/10/02
		//h-2		14:18
-	0	((helper adj application\$1) same browser)	USPAT	2003/10/02
		same application adj descriptor		14:19
-	0	((helper adj application\$1) same browser)	USPAT	2003/10/02
		and application adj descriptor	HCDNO	14:19
-	21	application adj descriptor	USPAT	2003/10/02
				14:21